Application No.	Applicant(s)
09/704,299	BIANCHI ET AL.
Examiner	Art Unit
Pedro Philogene	3733
	correspondence address epplication. If not included n will be mailed in due course. THIS to withdrawal from issue at the initiative
der 35 U.S.C. § 119(a)-(d) or (f). been received. been received in Application No cuments have been received in this	national stage application from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	
itted. Note the attached EXAMINEF es reason(s) why the oath or declar	R'S AMENDMENT or NOTICE OF ation is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.	
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date	
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date	
.84(c)) should be written on the draw he header according to 37 CFR 1.121	
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.	
5. Notice of Informal II 6. Interview Summary Paper No./Mail Da 7. Examiner's Amend 8. Examiner's Statem 9. Other	/ (PTO-413), ate
	Examiner Pedro Philogene ars on the cover sheet with sheet sheet appropriate communication GHTS. This application is subject and MPEP 1308. Index 35 U.S.C. § 119(a)-(d) or (f). Index been received. Index been received in Application Nocouments have been received in this communication to file a reply lend of this application. Interview Summant to the drawn sheet sheet according to 37 CFR 1.121 and sheet ac

Application/Control Number: 09/704,299

Art Unit: 3733

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: the prior art fails to disclose or reasonably teach an assembled helically threaded implant having two or more helically threaded section of cortical bone, each threaded section having a circular cross section and are joined together in tandem by two pins to form an implant, said pins Interconnecting opposing holes in the threaded sections to form an elongated body, the pins conveying torsional load between the threaded sections. Tus, the examiner has allowed claims 27-33.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pedro Philogene whose telephone number is (571) 272-4716. The examiner can normally be reached on Monday to Friday 6:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo Robert can be reached on (571) 272 - 4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3733

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Pedro Philogene September 22, 2006 PEDRO PHILOCENE PRIMARY EXAMINER